

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040202330"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:07
L2	14	uddi adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:08
L4	7	uddi adj (class instance component module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 12:55
L5	0	(Universal adj Description adj Discovery) adj (class instance component module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:18
L6	0	(Universal adj Description adj Discovery uddi) adj (class instance component module object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:18
L7	21	(Universal adj Description adj Discovery uddi) adj (class instance component module object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:18
L9	22	(Universal adj Description adj Discovery uddi) adj (class instance component module object bridge)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:19
L11	1775	(Universal adj Description adj Discovery uddi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:22

L13	613	(Universal adj Description adj Discovery uddi) with (class instance component module object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:23
L15	127	(Universal adj Description adj Discovery uddi) adj service	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:30
L18	56	object near3 key with (generat\$3 creat \$3) with (pre\$define \$1 define\$1 default)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L19	558	object near3 (key reference identifier) with (generat\$3 creat\$3) with (pre\$define\$1 define\$1 default)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L20	27	object near3 (key reference identifier) with (generat\$3 creat\$3) with (pre\$define\$1 define\$1 default) and (web adj service uuid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L21	46	object near3 (key reference identifier) with (generat\$3 creat\$3) with (pre\$define\$1 define\$1 default) and (web adj service uuid universal\$4 adj unique global\$3 adj unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L22	15	object near (key reference identifier) near5 (assign\$3 assignment generat\$3 creat\$3) with (pre\$define\$1 define\$1 default) and (web adj service uuid universal\$4 adj unique global\$3 adj unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44

L23	3	object near3 (key reference identifier) with (generat\$3 creat\$3) with (pre\$define\$1 define\$1 default) and (web adj service) and (uuid universal\$4 adj unique global\$3 adj unique)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L24	8	object near3 (key reference identifier) with (generat\$3 creat\$3) with (pre\$define\$1 define\$1 default) and (web adj service) and (uuid unique adj identifier global\$3 adj unique guid)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L25	128	object near3 (key reference identifier) with (generat\$3 creat\$3) same (uuid unique adj identifier global \$3 adj unique guid) and (web adj service web adj server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L26	154	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) same (uuid unique adj identifier global \$3 adj unique guid) and (web adj service web adj server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L27	73	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) with unique and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44

L28	326	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L29	164	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) and (web adj service) and (uuid unique adj identifier guid global adj identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L30	25	object near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) same (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L31	77	(object unique) near3 (key reference identifier) near5 (generat\$3 creat\$3 assign\$3 assignment) same (web adj service)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L32	541	(719/330) .CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/12 13:44
L33	614	(719/316) .CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/12 13:44
L34	1060	(719/315) .CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/12 13:44
L35	2	"20040202330"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L36	1	("6052681") .PN.	US-PGPUB; USPAT	OR	OFF	2008/02/12 13:44
L37	2	"20040202330"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44

L38	30	object adj (identifier reference) with (generat\$3 creat\$3) with (default pre \$defin\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L39	30	object adj (key identifier reference) with (generat\$3 creat\$3) with (default pre \$defin\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L40	377	object adj (key identifier reference) with (generat\$3 creat\$3) same (default pre \$defin\$2 exist\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44
L41	229	object adj (key identifier reference) with (generat\$3 creat\$3) same (default pre \$defin\$2 exist\$3) with (key identifier reference)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 13:44

2/12/08 2:08:59 PM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\10648580.wsp